CONTENTS

VOLUME 116 · NUMBER 1 · JULY 2000

1 BHAVNA TANNA, WILLIAM WELCH, LUC RUEST, JOHN L. SUTKO, and ALAN J. WILLIAMS. The interaction of a neutral ryanoid with the ryanodine receptor channel provides insights into the mechanisms by which ryanoid binding is modulated by voltage

11 PETER BRINK. *Commentary:* Gap junction voltage dependence: A clear picture emerges

13 SEUNGHOON OH, CHARLES K. ABRAMS, VYTAS K. VERSELIS, and THADDEUS A. BARGIELLO. Stoichiometry of transjunctional voltage–gating polarity reversal by a negative charge substitution in the amino terminus of a connexin32 chimera

33 ZHENJIANG YANG, HAOXING XU, NINGREN CUI, ZHIQIANG QU, SENGTHONG CHANCHEVALAP, WANGZHEN SHEN, and CHUN JIANG. Biophysical and molecular mechanisms underlying the modulation of heteromeric Kir4.1–Kir5.1 channels by CO_2 and pH

47 R. DANIEL PELUFFO, JOSÉ M. ARGÜELLO, and JOSHUA R. BERLIN. The role of Na,K-ATPase α subunit serine 775 and glutamate 779 in determining the extracellular K^+ and membrane potential–dependent properties of the Na,K-pump

61 R. DANIEL PELUFFO, JOSÉ M. ARGÜELLO, JERRY B. LINGREL, and JOSHUA R. BERLIN. Electrogenic sodium–sodium exchange carried out by Na,K-ATPase containing the amino acid substitution Glu779Ala

75 BRAD S. ROTHBERG and KARL L. MAGLEBY. Voltage and Ca^{2+} activation of single large-conductance Ca^{2+}-activated K^+ channels described by a two-tiered allosteric gating mechanism°

1*a* ABSTRACTS OF PAPERS AT THE FIFTY-FOURTH ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS

29*a* INDEX TO AUTHORS OF ABSTRACTS

VOLUME 116 · NUMBER 2 · AUGUST 2000

101 ERIK HVIID LARSEN, JAKOB BALSLEV SØRENSEN, and JENS NØRKÆR SØRENSEN. A mathematical model of solute coupled water transport in toad intestine incorporating recirculation of the actively transported solute

125 PAÏKAN MARCAGGI and JONATHAN A. COLES. A Cl^- cotransporter selective for NH_4^+ over K^+ in glial cells of bee retina°

143 EDWARD N. PUGH, JR. *Commentary:* Transfected cyclic nucleotide–gated channels as biosensors

147 THOMAS C. RICH, KENT A. FAGAN, HIROKO NAKATA, JEROME SCHAACK, DERMOT M.F. COOPER, and JEFFREY W. KARPEN. Cyclic nucleotide–gated channels colocalize with adenylyl cyclase in regions of restricted cAMP diffusion

163 KIM W. CHAN, LÁSZLÓ CSANÁDY, DONNA SETO-YOUNG, ANGUS C. NAIRN, and DAVID C. GADSBY. Severed molecules functionally define the boundaries of the cystic fibrosis transmembrane conductance regulator's NH_2-terminal nucleotide binding domain

181 PATRICIA ORTEGA-SÁENZ, RICARDO PARDAL, ANTONIO CASTELLANO, and JOSÉ LÓPEZ-BARNEO. Collapse of conductance is prevented by a glutamate residue conserved in voltage-dependent K^+ channels

191 ANDRÉ A. FENTON, GYORGY CSIZMADIA, and ROBERT U. MULLER. Conjoint control of hippocampal place cell firing by two visual stimuli: I. The effects of moving the stimuli on firing field positions

211 ANDRÉ A. FENTON, GYORGY CSIZMADIA, and ROBERT U. MULLER. Conjoint control of hippocampal place cell firing by two visual stimuli: II. A vector-field theory that predicts modifications of the representation of the environment

°The online version of this article contains supplemental material.

223 Sharona E. Gordon. *Commentary:* "Light" reading: Targeting tryptophans in cyclic nucleotide–gated channels

227 Thomas R. Middendorf, Richard W. Aldrich, and Denis A. Baylor. Modification of cyclic nucleotide–gated ion channels by ultraviolet light

253 Thomas R. Middendorf and Richard W. Aldrich. Effects of ultraviolet modification on the gating energetics of cyclic nucleotide–gated channels

283 D. Wesley Corson, Vladimir J. Kefalov, M. Carter Cornwall, and Rosalie K. Crouch. Effect of 11-cis 13-demethylretinal on phototransduction in bleach-adapted rod and cone photoreceptors

299 Ming Lu, Gordon C. MacGregor, Wenhui Wang, and Gerhard Giebisch. Extracellular ATP inhibits the small-conductance K channel on the apical membrane of the cortical collecting duct from mouse kidney

VOLUME 116 · NUMBER 3 · SEPTEMBER 2000

311 Paola Gavazzo, Cristiana Picco, Elisabeth Eismann, U. Benjamin Kaupp, and Anna Menini. A point mutation in the pore region alters gating, Ca^{2+} blockage, and permeation of olfactory cyclic nucleotide–gated channels

327 Claudio Grosman, Frank N. Salamone, Steven M. Sine, and Anthony Auerbach. The extracellular linker of muscle acetylcholine receptor channels is a gating control element

341 James A. Morrill and Stephen C. Cannon. COOH-terminal truncated alpha$_{1S}$ subunits conduct current better than full-length dihydropyridine receptors

349 Susan M. Cibulsky and William A. Sather. The EEEE locus is the sole high-affinity Ca^{2+} binding structure in the pore of a voltage-gated Ca^{2+} channel: Block by Ca^{2+} entering from the intracellular pore entrance

363 Richard T. Timmer and Robert B. Gunn. The molecular basis for Na-dependent phosphate transport in human erythrocytes and K562 cells

379 Andrew R. Tapper and Alfred L. George, Jr. MinK subdomains that mediate modulation of and association with KvLQT1

391 Bernard Ribalet, Scott A. John, and James N. Weiss. Regulation of cloned ATP–sensitive K channels by phosphorylation, MgADP, and phosphatidylinositol bisphosphate (PIP_2): A study of channel rundown and reactivation

411 D.H. Cox and R.W. Aldrich. Role of the β1 subunit in large-conductance Ca^{2+}-activated K^+ channel gating energetics: Mechanisms of enhanced Ca^{2+} sensitivity

433 Alessio Accardi and Michael Pusch. Fast and slow gating relaxations in the muscle chloride channel CLC-1

445 Joe Henry Steinbach. *Commentary:* How to force conformity on transmitter-gated channels

449 Hai-Long Wang, Kinji Ohno, Margherita Milone, Joan M. Brengman, Amelia Evoli, Anna-Paola Batocchi, Lefkos T. Middleton, Kyproula Christodoulou, Andrew G. Engel, and Steven M. Sine. Fundamental gating mechanism of nicotinic receptor channel revealed by mutation causing a congenital myasthenic syndrome

461 Richard Horn, Shinghua Ding, and Hermann J. Gruber. Immobilizing the moving parts of voltage-gated ion channels

477 László Csanády, Kim W. Chan, Donna Seto-Young, David C. Kopsco, Angus C. Nairn, and David C. Gadsby. Severed channels probe regulation of gating of cystic fibrosis transmembrane conductance regulator by its cytoplasmic domains

501 Correction

503 Correction

505 Correction

VOLUME 116 · NUMBER 4 · OCTOBER 2000

507 Duk-Su Koh, Mark W. Moody, Toan D. Nguyen, and Bertil Hille. Regulation of exocytosis by protein kinases and Ca^{2+} in pancreatic duct epithelial cells

521 Tatiana I. Rebrik, Ekaterina A. Kotelnikova, and Juan I. Korenbrot. Time course and Ca^{2+} dependence of sensitivity modulation in cyclic GMP-gated currents of intact cone photoreceptors

535 Chia-Wei Lin and Tsung-Yu Chen. Cysteine modification of a putative pore residue in ClC-0: Implication for the pore stoichiometry of ClC chloride channels

547 Stephen V. Straub, David R. Giovannucci and David I. Yule. Calcium wave propagation in pancreatic acinar cells: Functional interaction of inositol 1,4,5-trisphosphate receptors, ryanodine receptors, and mitochondria

561 Donglin Guo and Zhe Lu. Pore block versus intrinsic gating in the mechanism of inward rectification in strongly rectifying IRK1 channels

569 Robin K. Cloues, Susan M. Cibulsky, and William A. Sather. Ion interactions in the high-affinity binding locus of a voltage-gated Ca^{2+} channel

587 Paul K. Kienker, Karen S. Jakes, and Alan Finkelstein. Protein translocation across planar bilayers by the colicin Ia channel-forming domain: Where will it end?

VOLUME 116 · NUMBER 5 · NOVEMBER 2000

599 Show-Ling Shyng, Catherine A. Cukras, Jane Harwood, and Colin G. Nichols. Structural determinants of PIP_2 regulation of inward rectifier K_{ATP} channels

609 Natalie Watzke, Thomas Rauen, Ernst Bamberg, and Christof Grewer. On the mechanism of proton transport by the neuronal excitatory amino acid carrier 1

623 Eli Loots and Ehud Y. Isacoff. Molecular coupling of S4 to a K^+ channel's slow inactivation gate

637 Jeffrey R. Winterfield and Kenton J. Swartz. A hot spot for the interaction of gating modifier toxins with voltage-dependent ion channels

645 Joel Bard, Maya T. Kunkel, and Ernest G. Peralta. Single channel studies of inward rectifier potassium channel regulation by muscarinic acetylcholine receptors

653 Boon-Hooi Ong, Gordon F. Tomaselli, and Jeffrey R. Balser. A structural rearrangement in the sodium channel pore linked to slow inactivation and use dependence

663 William R. Silverman, Chih-Yung Tang, Allan F. Mock, Kyung-Bong Huh, and Diane M. Papazian. Mg^{2+} modulates voltage-dependent activation in ether-à-go-go potassium channels by binding between transmembrane segments S2 and S3

679 Samuel C. Dudley Jr., Nancy Chang, Jon Hall, Gregory Lipkind, Harry A. Fozzard, and Robert J. French. μ-Conotoxin GIIIA interactions with the voltage-gated Na^+ channel predict a clockwise arrangement of the domains

691 Jonathan S. Marchant and Ian Parker. *Commentary:* Functional interactions in Ca^{2+} signaling over different time and distance scales

697 Tenpei Akita and Kenji Kuba. Functional triads consisting of ryanodine receptors, Ca^{2+} channels, and Ca^{2+}-activated K^+ channels in bullfrog sympathetic neurons: Plastic modulation of action potential

721 Noam Zilberberg, Nitza Ilan, Rosana Gonzalez-Colaso, and Steve A.N. Goldstein. Opening and closing of KCNKØ potassium leak channels is tightly regulated

735 Tsuyoshi Ohyama, David H. Hackos, Stephan Frings, Volker Hagen, U. Benjamin Kaupp, and Juan I. Korenbrot. Fraction of the dark current carried by Ca^{2+} through cGMP-gated ion channels of intact rod and cone photoreceptors

755 Jennifer I. Crary, Dylan M. Dean, Wang Nguitragool, Peri T. Kurshan, and Anita L. Zimmerman. Mechanism of inhibition of cyclic nucleotide–gated ion channels by diacylglycerol

769 Jennifer I. Crary, Dylan M. Dean, Farahnaz Maroof, and Anita L. Zimmerman. Mutation of a single residue in the S2–S3 loop of CNG channels alters the gating properties and sensitivity to inhibitors

781 Peter M. Snyder, Daniel B. Bucher, and Diane R. Olson. Gating induces a conformational change in the outer vestibule of ENaC

791 Viktor I. Govardovskii, Peter D. Calvert, and Vadim Y. Arshavsky. *Commentary:* Photoreceptor light adaptation: Untangling desensitization and sensitization

795 S. Nikonov, T.D. Lamb, and E.N. Pugh, Jr. The role of steady phosphodiesterase activity in the kinetics and sensitivity of the light-adapted salamander rod photoresponse

825 Zhiqiang Qu and H. Criss Hartzell. Anion permeation in Ca^{2+}-activated Cl^- channels

845 Ronghua ZhuGe, Kevin E. Fogarty, Richard A. Tuft, Lawrence M. Lifshitz, Kemal Sayar, and John V. Walsh, Jr. Dynamics of signaling between Ca^{2+} sparks and Ca^{2+}-activated K^+ channels studied with a novel image-based method for direct intracellular measurement of ryanodine receptor Ca^{2+} current

865 Olaf Sparre Andersen. Perspectives on ryanodine receptor adaptation

867 Rebecca Sitsapesan and Alan J. Williams. *Perspective:* Do inactivation mechanisms rather than adaptation hold the key to understanding ryanodine receptor channel gating?

873 M. Fill, A. Zahradníková, C.A. Villalba-Galea, I. Zahradník, A.L. Escobar, and S. Györke. *Perspective:* Ryanodine receptor adaptation

883 G.D. Lamb, D.R. Laver, and D.G. Stephenson. *Perspective:* Questions about adaptation in ryanodine receptors